


**DETENTION BASIN 1 SECTION**  
NOT TO SCALE

- EMBANKMENT CONSTRUCTION**
1. CONSTRUCTION OF COMMON BORROW MATERIAL MEETING M.D.O.T. SPECIFICATION
  2. PLACE BORROW MATERIAL IN 12" LIFTS COMPACTED TO 95% OF MAXIMUM
  3. INSTALL RIPRAP AND EROSION CONTROL MESH WHERE SPECIFIED ON PLANS
  4. LOAM, SEED, AND STABILIZE IN ACCORDANCE WITH SEDIMENTATION AND EROSION CONTROL PLAN.

**PLAN NOTE:**  
THIS PLAN AND THE ASSOCIATED IMPROVEMENTS AMEND THE PREVIOUS APPROVED PLANS BY PINKHAM & GREER CIVIL ENGINEERS ENTITLED "DETAILS" LISTED AS C7.5 WITH A REVISION DATE OF AUGUST 18, 2015 AND "UNDERDRAINED SOIL FILTERS #9, #10, & #11" LISTED AS C8.3 WITH A REVISION DATE OF JULY 7, 2015.

NOT FOR CONSTRUCTION  
PROGRESS PRINT



REV	BY	DATE	STATUS
A	CAB	08/13/2022	SUBMITTED FOR TOWN AND DEP REVIEW

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM SEBAGO TECHNICS, INC. ANY ALTERATIONS, AUTHORIZED OR OTHERWISE, SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY TO SEBAGO TECHNICS, INC.

**SEBAGO**  
TECHNICS  
WWW.SEAGOTECHNICS.COM  
75 John Roberts Rd.  
Suite 4A  
South Portland, ME 04106  
Tel: 207-266-2100

LOT 6 DETENTION BASIN PLAN  
OF:  
**BURNT MILL ESTATES**  
HOBBS FARM ROAD  
WELLS, MAINE  
FOR:  
**BURNT MILL LAND HOLDINGS, LLC**  
222 HOBBS FARM ROAD  
WELLS, ME 04090

DESIGNED	MKO
DRAWN	MKO
CHECKED	CAB
DATE	4/9/2021
SCALE	1" = 20'
PROJECT	20019

SHEET 1 OF 1

10/13/22